| | Type | Hits | Search Text | DBs | Time Stamp | Comments |
|---|---|---|---|---|---|---|
| 1 | BRS | 2 | improv$3 with edge$1 with signal$1 with (DUT or device$1 adj under adj test) with (integrated adj circuit$1 or IC$1) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2005/11/02 09:07 | |
| 2 | BRS | 2 | improv$3 with edge$1 with signal$1 same (DUT or device$1 adj under adj test) with (integrated adj circuit$1 or IC$1) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2005/11/02 07:30 | |
| 3 | BRS | 18 | tim$3 with edge$1 with signal$1 same (DUT or device$1 adj under adj test) with (integrated adj circuit$1 or IC$1) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2005/11/02 07:30 | |
| 4 | BRS | 1 | tim$3 with edge$1 with signal$1 same (DUT or device$1 adj under adj test) with (integrated adj circuit$1 or IC$1) and (DPS or digital with processing with system$1) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2005/11/02 07:31 | |

| | Type | Hits | Search Text | DBs | Time Stamp | Comments |
|---|------|------|-------------|-----|------------|----------|
| 5 | BRS | 3 | tim$3 with edge$1 with signal$1 same (DUT or device$1 adj under adj test) with (integrated adj circuit$1 or IC$1) and (DPS or digital with process$3) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2005/11/02 07:33 | |
| 6 | BRS | 8 | tim$3 with edge$1 with signal$1 same (DUT or device$1 adj under adj test) with (integrated adj circuit$1 or IC$1) and (DPS or (data or digit$2) with process$3) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2005/11/02 07:33 | |
| 7 | BRS | 0 | tim$3 with edge$1 with signal$1 same (DUT or device$1 adj under adj test) with (integrated adj circuit$1 or IC$1) and (DPS or (data or digit$2) with process$3) and (calculat$3 or comput$3) with error$1 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2005/11/02 07:34 | |

| Type | Hits | Search Text | DBs | Time Stamp | Comments |
|---|---|---|---|---|---|
| 8 BRS | 5 | tim$3 with edge$1 with signal$1 same (DUT or device$1 adj under adj test) with (integrated adj circuit$1 or IC$1) and (DPS or (data or digit$2) with process$3) and (calculat$3 or comput$3) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2005/11/02 07:34 | |
| 9 BRS | 3 | tim$3 with edge$1 with signal$1 same (DUT or device$1 adj under adj test) with (integrated adj circuit$1 or IC$1) and (DPS or (data or digit$2) with process$3) and calculat$3 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2005/11/02 07:35 | |
| 10 BRS | 3 | tim$3 with edge$1 same (DUT or device$1 adj under adj test) with (integrated adj circuit$1 or IC$1) and (DPS or (data or digit$2) with process$3) and calculat$3 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2005/11/02 07:35 | |

| | Type | Hits | Search Text | DBs | Time Stamp | Comments |
|---|---|---|---|---|---|---|
| 11 | BRS | 4 | tim$3 with edge$1 same (DUT or device$1 adj under adj test) with (integrated adj circuit$1 or IC$1) and (DPS or (data or digit$2) with process$3) and error$1 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2005/11/02 08:29 | |
| 12 | BRS | 4 | tim$3 with edge$1 same (DUT or device$1 adj under adj test) with (integrated adj circuit$1 or IC$1) and (DPS or (data or digit$2) with process$3) and accurac$3 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2005/11/02 08:29 | |
| 13 | BRS | 21 | tim$3 with edge$1 same accurac$3 and (DUT or device$1 adj under adj test) with (integrated adj circuit$1 or IC$1) and (DPS or (data or digit$2) with process$3) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2005/11/02 08:30 | |

| | Type | Hits | Search Text | DBs | Time Stamp | Comments |
|---|------|------|-------------|-----|------------|----------|
| 14 | BRS | 13 | tim$3 with edge$1 with accurac$3 and (DUT or device$1 adj under adj test) with (integrated adj circuit$1 or IC$1) and (DPS or (data or digit$2) with process$3) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2005/11/02 08:32 | |
| 15 | BRS | 9 | tim$3 with edge$1 with accurac$3 and (DUT or device$1 adj under adj test) with (integrated adj circuit$1 or IC$1) and (DPS or (data or digit$2) with process$3) and cycle$1 with signal$1 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2005/11/02 08:35 | |
| 16 | BRS | 10 | tim$3 with edge$1 with accurac$3 and (DUT or device$1 adj under adj test) with (integrated adj circuit$1 or IC$1) and (DPS or (data or digit$2) with process$3) and cycle$1 with tim$3 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2005/11/02 08:35 | |

| | Type | Hits | Search Text | DBs | Time Stamp | Comments |
|---|---|---|---|---|---|---|
| 17 | BRS | 1 | (calibrat$3 or adjust$3) with tim$3 with edge$1 with accurac$3 and (DUT or device$1 adj under adj test) with (integrated adj circuit$1 or IC$1) and (DPS or (data or digit$2) with process$3) and cycle$1 with tim$3 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2005/11/02 08:36 | |
| 18 | BRS | 12 | (calibrat$3 or adjust$3) with tim$3 with edge$1 and accurac$3 and (DUT or device$1 adj under adj test) with (integrated adj circuit$1 or IC$1) and (DPS or (data or digit$2) with process$3) and cycle$1 with tim$3 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2005/11/02 08:37 | |

| | Type | Hits | Search Text | DBs | Time Stamp | Comments |
|---|------|------|-------------|-----|------------|----------|
| 19 | BRS | 4 | (calibrat$3 or adjust$3) with tim$3 with edge$1 and accurac$3 and (DUT or device$1 adj under adj test) with (integrated adj circuit$1 or IC$1) and (DPS or (data or digit$2) with process$3) and cycle$1 with tim$3 and instruct$3 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2005/11/02 08:37 | |
| 20 | BRS | 4 | (calibrat$3 or adjust$3) with tim$3 with edge$1 and accurac$3 and (DUT or device$1 adj under adj test) with (integrated adj circuit$1 or IC$1) and (DPS or (data or digit$2) with process$3) and cycle$1 with tim$3 and (command$3 or instruct$3) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2005/11/02 08:38 | |

| | Type | Hits | Search Text | DBs | Time Stamp | Comments |
|---|---|---|---|---|---|---|
| 21 | BRS | 5 | (calibrat$3 or adjust$3) with tim$3 with edge$1 and accurac$3 and (DUT or device$1 adj under adj test) with (integrated adj circuit$1 or IC$1) and (DPS or (data or digit$2) with process$3) and cycle$1 with tim$3 and error$1 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2005/11/02 08:40 | |
| 22 | BRS | 12 | (calibrat$3 or adjust$3) with tim$3 with edge$1 and accurac$3 and (DUT or device$1 adj under adj test) with (integrated adj circuit$1 or IC$1) and (DPS or (data or digit$2) with process$3) and cycle$1 with tim$3 and clock$1 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2005/11/02 08:41 | |

| | Type | Hits | Search Text | DBs | Time Stamp | Comments |
|---|---|---|---|---|---|---|
| 23 | BRS | 15 | (calibrat$3 or adjust$3) with tim$3 with edge$1 and (DUT or device$1 adj under adj test) with (integrated adj circuit$1 or IC$1) and (DPS or (data or digit$2) with process$3) and cycle$1 with tim$3 and clock$1 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2005/11/02 08:41 | |
| 24 | BRS | 0 | (calibrat$3 or adjust$3) with tim$3 with edge$1 same (DUT or device$1 adj under adj test) with (integrated adj circuit$1 or IC$1) and (DPS or (data or digit$2) with process$3) and cycle$1 with tim$3 and clock$1 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2005/11/02 08:43 | |

| | Type | Hits | Search Text | DBs | Time Stamp | Comments |
|---|---|---|---|---|---|---|
| 25 | BRS | 4 | (calibrat$3 or adjust$3) with tim$3 with edge$1 same (integrated adj circuit$1 or IC$1) and (DPS or (data or digit$2) with process$3) and cycle$1 with tim$3 and clock$1 and (DUT or device$1 adj under adj test) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2005/11/02 08:50 | |
| 26 | BRS | 4 | (calibrat$3 or adjust$3) with tim$3 with edge$1 same (integrated adj circuit$1 or IC$1) and (DPS or (data or digit$2) with process$3) and cycle$1 with tim$3 and clock$1 and (DUT or device$1 adj under adj test) and (reference$1 or threshold$1 or desired or expected or predefined or predetermined or preset$4) with tim$3 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2005/11/02 09:09 | |

| | Type | Hits | Search Text | DBs | Time Stamp | Comments |
|---|---|---|---|---|---|---|
| 27 | BRS | 2 | "20050044463" | US-PGPUB;<br>USPAT; EPO;<br>JPO; DERWENT;<br>IBM TDB | 2005/11/02<br>08:53 | |
| 28 | BRS | 595 | 702/57.ccls. | US-PGPUB;<br>USPAT; EPO;<br>JPO; DERWENT;<br>IBM TDB | 2005/11/02<br>09:08 | |
| 29 | BRS | 208 | 702/69.ccls. | US-PGPUB;<br>USPAT; EPO;<br>JPO; DERWENT;<br>IBM TDB | 2005/11/02<br>09:08 | |
| 30 | BRS | 55 | 702/69.ccls. and tim$3<br>with edg$3 | US-PGPUB;<br>USPAT; EPO;<br>JPO; DERWENT;<br>IBM TDB | 2005/11/02<br>09:08 | |

| | Type | Hits | Search Text | DBs | Time Stamp | Comments |
|---|---|---|---|---|---|---|
| 31 | BRS | 4 | (calibrat$3 or adjust$3) with tim$3 with edg$3 same (integrated adj circuit$1 or IC$1) and (DPS or (data or digit$2) with process$3) and cycle$1 with tim$3 and clock$1 and (DUT or device$1 adj under adj test) and (reference$1 or threshold$1 or desired or expected or predefined or predetermined or preset$4) with tim$3 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2005/11/02 09:09 | |
| 32 | BRS | 28 | (calibrat$3 or adjust$3) with tim$3 with edg$3 and test$3 with (integrated adj circuit$1 or IC$1) and (DPS or (data or digit$2) with process$3) and cycle$1 with tim$3 and clock$1 and (DUT or device$1 adj under adj test) and (reference$1 or threshold$1 or desired or expected or predefined or predetermined or preset$4) with tim$3 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2005/11/02 10:08 | |

| | Type | Hits | Search Text | DBs | Time Stamp | Comments |
|---|---|---|---|---|---|---|
| 33 | BRS | 20 | (calibrat$3 or adjust$3) with tim$3 with edg$3 and test$3 with (integrated adj circuit$1 or IC$1) and (DPS or (data or digit$2) with process$3) and cycle$1 with tim$3 and clock$1 and (DUT or device$1 adj under adj test) and (reference$1 or threshold$1 or desired or expected or predefined or predetermined or preset$4) with tim$3 and computer$1 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2005/11/02 11:24 | |
| 34 | BRS | 3571 | 714/724,742,744.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2005/11/02 11:25 | |
| 35 | BRS | 5185 | 324/158.1.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2005/11/02 11:25 | |
| 36 | BRS | 787 | data adj acquisition adj system with (processor$1 or microprocessor$1) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2005/11/03 07:56 | |

| | Type | Hits | Search Text | DBs | Time Stamp | Comments |
|---|------|------|-------------|-----|------------|----------|
| 37 | BRS | 77 | "702"/$.ccls. and data adj acquisition adj system with (processor$1 or microprocessor$1) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2005/11/03 07:56 | |